PRECIMAT
A DIVISION OF PRECILAB, L.L.C.

THIN SECTION REQUEST FORM

Add Page

Page 1 of 1

Requested By: *Shipping Address:* *City, State, Zip:* *Phone:* *Email:*	*Paid By:* *Billing Address:* *City, State, Zip:* *Phone:* *Email:*	Shipping: ☐ USPS Priority ☐ FedEx Overnight ☐ FedEx 2Day ☐ Shipping Insurance *(Internal used only)* Job ID: _____ Rec'd On: _____

PPL = Plain-Polarized Light; XPL = Cross-Polarized Light; RFL = Reflected Light

Payment Type:
☐ Credit Card ☐ Check (in advance)
☐ Net 30 (PO required) # _____

Turnaround Time: (notify lab for rush)
☐ Standard
☐ 15 Business Days . . . . + 50%
☐ 10 Business Days . . . . + 100%
☐ 5 Business Days . . . . + 200%

Thin Section Dimensions:
☐ 46 x 27 mm ☐ 3 x 2" ☐ Disc 1"

Glass Thickness: ☐ < 1.3 mm (std) ☐ > 1.5 mm (thick)

Specimen Finish:
☐ Basic Lapping (3 µm top & bottom)
☐ Single-Sided Polish (0.05 µm top & 3 µm)
☐ Double-Sided Polish (0.05 µm top & bottom)

Specimen Thickness: ☐ 30 µm (std) ☐ Other___ µm

Line #	Sample ID	Instructions/ Comments	Additional Trimming.	Add Cover Slip. ☐ Permanent ☐ Removable	Epoxy. ☐ Clear ☐ Blue ☐ UV Yellow ☐ UV Blue	Add Orientation.	Clay or Water Sensitive.	Carbonate Stain. (ALR + PF)	Feldspar Stain.	25x Mosaic Image. ☐ PPL ☐ XPL ☐ RFL	50x Mosaic Image. ☐ PPL ☐ XPL ☐ RFL	100x Mosaic Image. ☐ PPL ☐ XPL ☐ RFL	Petrographic Analysis and Report.